

Data Science Initiatives

Reagan Moore rwmoore@renci.org University of North Carolina at Chapel Hill

- Data Intensive Cyber Environments Center
 - DataNet Federation Consortium
 - Research Data Alliance
- Renaissance Computing Institute
 - National Consortium for Data Science
 - iRODS Consortium
- School of Information and Library Science
 - LifeTime Library
 - Data science courses

Topics

- 1. DataNet Federation Consortium: federation across NSF cyber infrastructure projects
- 2. Progress towards a theory of data science: Basis for quantitative predictions about load and performance (Hao Xu)
- 3. Development of policies for managing protected data: pluggable rule engine in iRODS (Hao Xu)
- 4. iRODS Consortium: Industrial storage vendor provisioning of data management packaging of iRODS with Seagate disk
- 5. Federation of repositories across federal agencies. Current applications of iRODS include NASA, NOAA, NOAO, and NSF awards.



DataNet Federation Consortium [1]

- University of North Carolina at Chapel Hill
 - Odum Institute Dataverse (Social Science)
 - Institute for the Environment (Hydrology)
 - Renaissance Computing Institute GENI (SDN Networks)
 - Data Intensive Cyber Environments Center (Data grids)
- University of California, San Diego
 - Science Observation Network SciON (Sensor data)
 - Temporal Dynamics of Learning Center (Cognitive science)
- Arizona State University
 - Natural language processing (Computer science)
- University of Arizona
 - The iPlant Collaborative (Plant biology)
- University of Virginia
 - HydroShare (Hydrology)
- Drexel University
 - Semantic ontologies

Federation Mechanisms

- Claim three mechanisms are sufficient for federating existing data management systems
 - Tightly coupled federations
 - Shared name spaces
 - Federated data grids
 - Loosely coupled federations
 - Direct interaction using API of the remote system
 - Encapsulate published APIs in micro-services
 - Asynchronous federations
 - Indirect interaction
 - Communicate through a message bus

Federation of Data & Services

- Move data to remote service
 - Access remote service
 - Move data, apply service, and return results
- Move service to local data
 - Encapsulate service in virtual machine image (Docker)
 - Move service to local storage
 - Execute service as part of a local workflow

Theory of Data Science [2]


- A successful theory should support:
 - Characterization of a data management system through the changes to state information by operations
 - Identification of the assertions (conserved properties)
 maintained by the data management system
 - Prediction of the probability of success in maintaining the assertions in the presence of failure modes
 - Prediction of the sustainable workload
 - Identification of the assertions maintained across a federation
 - Prediction of the probability of success and sustainable workload of a federation

Required Infrastructure Components

- Policy-based system
 - Computer actionable rules
 - Computer executable procedures
- Persistent state information
 - Identification of the states changed by each operation
- Event tracking
 - For each operation, monitor the state changes


Science, Technology, Sustainability

Data Net Federation Science, Technology, Susta Policy Components - Conceptual Fundamentals






Policy Components - Conceptual Fundamentals






Policy Components - Conceptual Fundamentals






Policy Components - Conceptual Fundamentals




DataNet Federation Consortium

Policy Components - Conceptual Fundamentals




DataNet Federation Consortium

Policy Components - Conceptual Fundamentals



DataNet Federation Consortium

Policy Components - Conceptual Fundamentals



Data Science

- iRODS provides the required components
 - Operations defined in micro-services
 - State information updated on each operation
 - Policies control execution of the micro-services
 - Pre-process policy
 - Post-process policy
- Needed high performance tracking of events
 - Write rules in C++
 - Send event messages to external index

iRODS Pluggable Architecture

- Interactions with new technologies are encapsulated in plug-ins
 - API
 - Authentication systems (GSI, Kerberos)
 - Databases
 - Micro-services (curl)
 - Network
 - Storage systems (S3, WOS, HPSS)
 - Zonereport


Pluggable Architecture (Coposky)

- Plug-in new micro-services (iRODS 4.0)
 - Associate policy enforcement points with each plug-in
 - Pre-process policy
 - Post-process policy
- Pluggable Rule engine architecture (Hao Xu)
 - Support plug-ins for each rule language
 - iRODS, Python, JavaScript
 - Support meta-rule name spaces
 - Automatically add auditing rules to every microservice invocation

Pluggable Rule Engine

- Supports 5 basic functions
 - Rule-engine-plugin-start
 - Rule-engine-plugin-stop
 - Rule-exists
 - Rule-execution
 - Callback
- Plugin typically is implemented in 100 lines of code
 - iRODS rule language, Python, Javascript, C++





Rule Name Space

- RE Plugin₁ provides extended namespace support for the translation to the default semantics.
- pep[...] = ns₁preop(args, env) >> ... ns_npreop(args, env) >> op(args,env) >> ns_npostop(args, env) >> ... ns₁postop(args, env)
- By default, we have namespace $ns_1 = ""$.
- We can add more namespaces. For example, for auditing ns₂
 "audit" or indexing ns₃ = "index" or security.
- For the audit namespace, pre and post file read PEPs: audit_pep_resource_read_pre audit_pep_resource_read_post

Policy Sets [3]

- Event auditing
- External indexing (events, metadata, text)
- Protected Data management
- Preservation
- Digital Library
- Data sharing

Protected Data

- Automated enforcement of 51 tasks, such as
 - Protected data type detection
 - Access approval flags
 - Encryption
 - Access control setting
 - Replication
 - Retention
 - Audit trail parsing for compliance
 - Verification of required access controls
 - Verification of integrity
 - Password constraints

iRODS User Group Meeting [4]

- iRODS Consortium membership based sustainable infrastructure
 - Pharmaceutical companies
 - Genomics data grids
 - Storage vendors
 - Data management
 - Example iRODS appliance integrates disk storage with pre-installed iRODS data grid (Seagate, DDN)
 - Can connect iRODS appliance to any data grid
 - Generalization of SAN technology

Federation [5]

- DataNet Federation Consortium pursuing federation across cyberinfrastructure projects and federal agencies
 - Data Infrastructure Building Blocks
 - GABBS Geospatial Modeling and Analysis Building Blocks
 - Encapsulated service in Docker image
 - Data grids NASA, NOAA, NSF, (EPA, NIH, NIEHS, NARA, LoC)
- Service federation
 - Through the Discovery Environment (iPlant) manage data movement and execution of encapsulated service on HPC resource (TACC)
 - Workflow structured objects track provenance of workflows within iRODS

Virtualization of Data Flows

- Currently virtualize data collections and workflows
 - Manage their properties, access controls, provenance, naming, sharing, organization
- Can also virtualize data flows
 - Integration of Software Defined Networks and Policy-based data management
 - Enables re-execution of data flows, access controls on data flows, sharing, caching, assignment of I/O streams, event tracking, access by collection/file name

Development

- iRODS Consortium
 - iRODS release 4.1.3
 - Pluggable architecture Jason Coposky
- DICE Center DFC
 - Workflow structured objects Arcot Rajasekar
 - Pluggable rule engine Hao Xu
- RENCI
 - GENI Shu Huang, Yufeng Xin
- Project support from:
 - NSF DataNet Federation Consortium Grant OCI 0940841



Federation Architecture

